

#### 7-16 DIN Male for CNT-400 braided cable

#### **Product Classification**

Product Type Braided cable connector

Product Brand CNT®

General Specifications

Body Style Straight

Inner Contact Attachment Method Captivated

Inner Contact Plating Silver

**Interface** 7-16 DIN Male

 Outer Contact Attachment Method
 Clamp

 Outer Contact Plating
 Trimetal

Dimensions

 Width
 35 mm | 1.378 in


 Length
 40.73 mm | 1.604 in

**Diameter** 35 mm | 1.378 in

Nominal Size 0.405 in

Outline Drawing





### **Electrical Specifications**

**Insertion Loss, typical** 0.05 dB

Average Power at Frequency 580.0 W @ 900 MHz

Cable Impedance50 ohmConnector Impedance50 ohmdc Test Voltage2500 V

Inner Contact Resistance, maximum1.5 mOhmInsulation Resistance, minimum10000 MOhmOperating Frequency Band0 - 6000 MHzOuter Contact Resistance, maximum0.4 mOhm

**RF Operating Voltage, maximum (vrms)** 894 V

### VSWR/Return Loss

 Frequency Band
 VSWR
 Return Loss (dB)

 0-3000 MHz
 1.05
 32.26

**3000–6000 MHz** 1.119 25.01

Mechanical Specifications

**Connector Retention Tensile Force** 330 N | 74.187 lbf

**Connector Retention Torque** 0.56 N-m | 4.956 in lb



**Coupling Nut Proof Torque** 35 N-m | 309.776 in lb

**Coupling Nut Proof Torque Method** IEC 61169-4:9.3.6

**Coupling Nut Retention Force** 1000 N | 224.809 lbf

**Coupling Nut Retention Force Method** IEC 61169-4:15.2.6

Interface Durability 500 cycles

Interface Durability Method IEC 61169-4:17

Mechanical Shock Test Method IEC 60068-2-27

### **Environmental Specifications**

Operating Temperature  $-40 \,^{\circ}\text{C} \text{ to } +85 \,^{\circ}\text{C} \, (-40 \,^{\circ}\text{F to } +185 \,^{\circ}\text{F})$ 

**Storage Temperature**  $-65 \,^{\circ}\text{C}$  to  $+125 \,^{\circ}\text{C}$  (-85  $^{\circ}\text{F}$  to  $+257 \,^{\circ}\text{F}$ )

**Attenuation, Ambient Temperature** 20 °C | 68 °F

**Average Power, Ambient Temperature** 40 °C | 104 °F

**Average Power, Inner Conductor Temperature** 100 °C | 212 °F

Climatic Sequence Test Method IEC 60068-1

**Corrosion Test Method** IEC 60068-2-11

**Damp Heat Steady State Test Method** IEC 60068-2-3

Immersion Depth 1 m

Immersion Test Mating Mated

**Immersion Test Method** IEC 60529:2001, IP68

Thermal Shock Test Method IEC 60068-2-14

Vibration Test Method IEC 60068-2-6

Packaging and Weights

**Weight, net** 44.58 g | 0.098 lb

### Regulatory Compliance/Certifications

## Agency Classification

CHINA-ROHS Below maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

REACH-SVHC Compliant as per SVHC revision on www.andrew.com/ProductCompliance

ROHS Compliant UK-ROHS Compliant





#### \* Footnotes

**Insertion Loss, typical** 0.05√-freq (GHz) (not applicable for elliptical waveguide)

**Immersion Depth** Immersion at specified depth for 24 hours

