# F4CR-HMHM-1M-E1



HELIAX® 1/2" Superflexible Fire retardant SureFlex® Jumper with interface types 4.3-10 Male and 4.3-10 Male, 1 m, with black non-halogenated fire retardant polyolefin jacket

#### **Product Classification**

**Product Type**Wireless transmission cable assembly

Product Brand HELIAX® | SureFlex®

**Product Series** RSJ4-50

General Specifications

Body Style, Connector AStraightBody Style, Connector BStraightInterface, Connector A4.3-10 MaleInterface, Connector B4.3-10 Male

Specification Sheet Revision Level

**Dimensions** 

**Length** 1 m | 3.281 ft

Nominal Size 1/2 in

Electrical Specifications

**3rd Order IMD Static** -116 dBm

**3rd Order IMD Test Method** Two +43 dBm carriers

DTF, Connector A -32 dB

DTF, Connector B -32 dB

#### VSWR/Return Loss

Frequency Band	VSWR	Return Loss (dB)	Insertion Loss, typical (dB)
698-960 MHz	1.065	30.04	0.19
1700-2200 MHz	1.065	30.04	0.29
2300-2700 MHz	1.083	27.99	0.32
3400-3800 MHz	1.222	20.01	0.39



Page 1 of 12

### Jumper Assembly Sample Label



#### **Environmental Specifications**

EN50575 CPR Cable EuroClass Fire PerformanceB2caEN50575 CPR Cable EuroClass Smoke Rating\$1aEN50575 CPR Cable EuroClass Droplets Ratingd1EN50575 CPR Cable EuroClass Acidity Ratinga1

**Immersion Test Method**Meets IEC 60529:2001, IP68 in mated condition

#### Regulatory Compliance/Certifications

Agency	Classification
CHINA-ROHS	Above maximum concentration value
REACH-SVHC	Compliant as per SVHC revision on www.commscope.com/ProductCompliance
ROHS	Compliant/Exempted
UK-ROHS	Compliant/Exempted



F4XHM-S2 - 4.3-10 Male for 1/2 in RSJ4-50LF cable, factory attached

ANDREW® an Amphenol company

# F4CR-HMHM-1M-E1

RSJ4RK-50LF

- RSJ4-50, HELIAX® Superflexible Foam Coaxial Cable, corrugated copper, 1/2 in, black non-halogenated, fire retardant polyolefin jacket B2ca-s1a,d1,a1



### F4XHM-S2



4.3-10 Male for 1/2 in RSJ4-50LF cable, factory attached

#### **Product Classification**

Product Type Wireless and radiating connector

Product Brand HELIAX®

General Specifications

Body StyleStraightCable FamilyRSJ4-50

Inner Contact Attachment Method Captivated

Inner Contact Plating Silver

**Interface** 4.3-10 Male

Outer Contact Attachment Method Solder

Outer Contact Plating Trimetal

**Dimensions** 


 Length
 20 mm | 0.787 in

 Diameter
 24 mm | 0.945 in

Nominal Size 1/2 in

Outline Drawing





#### **Electrical Specifications**

3rd Order IMD at Frequency -119 dBm @ 910 MHz
3rd Order IMD Test Method Two +43 dBm carriers

**Insertion Loss Coefficient, typical** 0.05

Cable Impedance50 ohmConnector Impedance50 ohmdc Test Voltage2500 VInner Contact Resistance, maximum1 mOhm

Insulation Resistance, minimum5000 MOhmOperating Frequency Band0 - 6000 MHz

Outer Contact Resistance, maximum1 mOhmPeak Power, maximum15 kW

#### VSWR/Return Loss

Frequency Band VSWR Return Loss (dB)

**698–960 MHz** 1.032 36.06

ANDREW® an Amphenol company

### F4XHM-S2

1700-2200 MHz	1.032	36.06
2200-2700 MHz	1.041	33.94
3400-3800 MHz	1.106	25.96

#### Mechanical Specifications

Connector Retention Tensile Force889.64 N | 200 lbfConnector Retention Torque4.1 N-m | 36.288 in lbCoupling Nut Proof Torque8 N-m | 70.806 in lbCoupling Nut Retention Force449.98 N | 101.16 lbf

Interface Durability 100 cycles

Mechanical Shock Test Method IEC 60068-2-27

#### **Environmental Specifications**

**Operating Temperature**  $-55 \,^{\circ}\text{C} \text{ to } +85 \,^{\circ}\text{C} \, (-67 \,^{\circ}\text{F to } +185 \,^{\circ}\text{F})$ 

**Storage Temperature**  $-65 \,^{\circ}\text{C}$  to  $+125 \,^{\circ}\text{C}$  (-85  $^{\circ}\text{F}$  to  $+257 \,^{\circ}\text{F}$ )

Attenuation, Ambient Temperature20 °C | 68 °FAverage Power, Ambient Temperature40 °C | 104 °FCorrosion Test MethodIEC 60068-2-11

Immersion Depth1 mImmersion Test MatingMated

**Immersion Test Method** IEC 60529:2001, IP68

Moisture Resistance Test MethodIEC 60068-2-3Thermal Shock Test MethodIEC 60068-2-14Vibration Test MethodIEC 60068-2-6

Packaging and Weights

**Weight, net** 22.04 g | 0.049 lb

#### Regulatory Compliance/Certifications

Agency Classification

CHINA-ROHS Below maximum concentration value

REACH-SVHC Compliant as per SVHC revision on www.commscope.com/ProductCompliance

ROHS Compliant UK-ROHS Compliant



# F4XHM-S2



#### \* Footnotes

**Insertion Loss Coefficient, typical** 0.05√ freq (GHz) (not applicable for elliptical waveguide)

**Immersion Depth** Immersion at specified depth for 24 hours





RSJ4-50, HELIAX® Superflexible Foam Coaxial Cable, corrugated copper, 1/2 in, black non-halogenated, fire retardant polyolefin jacket B2ca-sla,d1,a1

#### **Product Classification**

 Product Type
 Coaxial wireless cable

 Product Brand
 HELIAX® | SureFlex®

**Product Series** RSJ4-50

General Specifications

**Flexibility** Superflexible

Jacket Color Black

**Performance Note**Attenuation values typical, guaranteed within 5%

**Dimensions** 

 Diameter Over Dielectric
 9.423 mm | 0.371 in

 Diameter Over Jacket
 13.411 mm | 0.528 in

 Inner Conductor OD
 3.594 mm | 0.141 in

 Outer Conductor OD
 11.989 mm | 0.472 in

Nominal Size 1/2 in

**Electrical Specifications** 

Cable Impedance 50 ohm ±1 ohm

**Capacitance** 83.9 pF/m | 25.573 pF/ft

dc Resistance, Inner Conductor2.76 ohms/km| 0.841 ohms/kftdc Resistance, Outer Conductor5.73 ohms/km| 1.747 ohms/kft

dc Test Voltage 2500 V

 $\label{eq:local_$ 

**Insulation Resistance** 100000 MOhms-km

Jacket Spark Test Voltage (rms) 4000 V

**Operating Frequency Band** 1 – 10200 MHz

Peak Power 15.6 kW



Velocity 79 %

#### VSWR/Return Loss

Frequency Band	VSWR	Return Loss (dB)
680-800 MHz	1.201	20.79
800-960 MHz	1.201	20.79
1700-2200 MHz	1.201	20.79
2300-2700 MHz	1.201	20.79

#### Attenuation

Frequency (MHz)	Attenuation (dB/100 m)	Attenuation (dB/100 ft)	Average Power (kW)
1.0	0.327	0.1	15.6
1.5	0.401	0.122	15.6
2.0	0.463	0.141	15.6
10.0	1.044	0.318	10.12
20.0	1.485	0.453	7.11
30.0	1.828	0.557	5.78
50.0	2.377	0.724	4.44
85.0	3.13	0.954	3.38
88.0	3.187	0.971	3.32
100.0	3.406	1.038	3.1
108.0	3.546	1.081	2.98
150.0	4.214	1.285	2.51
174.0	4.558	1.389	2.32
200.0	4.908	1.496	2.15
204.0	4.96	1.512	2.13
300.0	6.095	1.858	1.73
400.0	7.121	2.17	1.48
450.0	7.592	2.314	1.39
460.0	7.684	2.342	1.37
500.0	8.042	2.451	1.31
512.0	8.148	2.483	1.3
600.0	8.891	2.71	1.19
700.0	9.683	2.951	1.09
800.0	10.431	3.179	1.01

824.0	10.605	3.232	1
894.0	11.101	3.383	0.95
960.0	11.555	3.522	0.91
1000.0	11.824	3.604	0.89
1218.0	13.226	4.031	0.8
1250.0	13.423	4.091	0.79
1500.0	14.906	4.543	0.71
1700.0	16.027	4.885	0.66
1794.0	16.537	5.04	0.64
1800.0	16.57	5.05	0.64
2000.0	17.624	5.371	0.6
2100.0	18.137	5.528	0.58
2200.0	18.641	5.682	0.57
2300.0	19.138	5.833	0.55
2500.0	20.11	6.129	0.53
2700.0	21.056	6.418	0.5
3000.0	22.432	6.837	0.47
3400.0	24.198	7.375	0.44
3600.0	25.055	7.636	0.42
3700.0	25.478	7.765	0.41
3800.0	25.898	7.893	0.41
3900.0	26.314	8.02	0.4
4000.0	26.727	8.146	0.4
4100.0	27.136	8.271	0.39
4200.0	27.542	8.394	0.38
4300.0	27.946	8.517	0.38
4400.0	28.346	8.639	0.37
4500.0	28.744	8.761	0.37
4600.0	29.139	8.881	0.36
4700.0	29.531	9.001	0.36
4800.0	29.921	9.119	0.35
4900.0	30.308	9.238	0.35
5000.0	30.693	9.355	0.34
6000.0	34.427	10.493	0.31
8000.0	41.403	12.619	0.26



**8800.0** 44.054 13.427 0.24 **10000.0** 47.914 14.603 0.22

Material Specifications

**Dielectric Material** Foam PE

Jacket Material Non-halogenated, fire retardant polyolefin

Inner Conductor Material Copper-plating aluminum wire

Outer Conductor Material Corrugated copper

Mechanical Specifications

Minimum Bend Radius, multiple Bends31.75 mm1.25 inMinimum Bend Radius, single Bend31.75 mm1.25 in

Number of Bends, minimum 12 Number of Bends, typical 15

 Tensile Strength
 79 kg | 174.165 lb

 Bending Moment
 2.6 N-m | 23.012 in lb

 Flat Plate Crush Strength
 2 kg/mm | 111.995 lb/in

#### **Environmental Specifications**

Installation temperature  $-40 \,^{\circ}\text{C}$  to  $+60 \,^{\circ}\text{C}$  ( $-40 \,^{\circ}\text{F}$  to  $+140 \,^{\circ}\text{F}$ )

Operating Temperature  $-40 \,^{\circ}\text{C}$  to  $+60 \,^{\circ}\text{C}$  ( $-40 \,^{\circ}\text{F}$  to  $+140 \,^{\circ}\text{F}$ )

Storage Temperature  $-40 \,^{\circ}\text{C}$  to  $+60 \,^{\circ}\text{C}$  ( $-40 \,^{\circ}\text{F}$  to  $+140 \,^{\circ}\text{F}$ )

Attenuation, Ambient Temperature $68 \,^{\circ}\text{F}$  |  $20 \,^{\circ}\text{C}$ Average Power, Ambient Temperature $104 \,^{\circ}\text{F}$  |  $40 \,^{\circ}\text{C}$ Average Power, Inner Conductor Temperature $212 \,^{\circ}\text{F}$  |  $100 \,^{\circ}\text{C}$ 

EN50575 CPR Cable EuroClass Fire PerformanceB2caEN50575 CPR Cable EuroClass Smoke Ratings1aEN50575 CPR Cable EuroClass Droplets Ratingd1EN50575 CPR Cable EuroClass Acidity Ratinga1

Fire Retardancy Test Method IEC 60332-1-2 | NFPA 130-2010 | UL 1666/CATVR/CMR

Smoke Index Test Method IEC 61034

Toxicity Index Test Method IEC 60754-2

Packaging and Weights



Cable weight

 $0.15 \, kg/m \, \mid \, 0.101 \, lb/ft$ 

