Type N Female Positive Stop™ for 7/8 in AVA5-50 cable

Product Classification

Product Type Wireless and radiating connector

Product Brand HELIAX® | Positive Stop™

Product Series AVA5-50 | AVA5RK-50

Ordering Note ANDREW® standard product (Global)

General Specifications

Body Style Straight

Cable Family AL5-50 | AVA5-50

Inner Contact Attachment Method Captivated

Inner Contact Plating Silver

Interface N Female

Mounting Angle Straight

Outer Contact Attachment Method Ring-flare

Outer Contact Plating Trimetal

Pressurizable No

Dimensions


 Length
 58.93 mm | 2.32 in

 Diameter
 37.08 mm | 1.46 in

Nominal Size 7/8 in

Outline Drawing





Electrical Specifications

3rd Order IMD at Frequency -116 dBm @ 910 MHz
3rd Order IMD Test Method Two +43 dBm carriers

Insertion Loss Coefficient, typical 0.05

Average Power at Frequency 0.6 kW @ 900 MHz

Cable Impedance 50 ohm **Connector Impedance** 50 ohm 2000 V dc Test Voltage Inner Contact Resistance, maximum 2 m0hm Insulation Resistance, minimum 5000 MOhm **Operating Frequency Band** 0 - 5200 MHz **Outer Contact Resistance, maximum** 0.3 m0hm Peak Power, maximum 10 kW RF Operating Voltage, maximum (vrms) 707 V

VSWR/Return Loss

Shielding Effectiveness

Frequency Band VSWR Return Loss (dB)

50–1000 MHz 1.023 38.89



-130 dB

AL5NF-PSA

| 1010-2200 MHz | 1.025 | 38.17 |
|---------------|-------|-------|
| 2210-3000 MHz | 1.041 | 33.94 |
| 3010-4000 MHz | 1.083 | 27.99 |
| 4010-5200 MHz | 1.173 | 21.98 |

Mechanical Specifications

Attachment Durability 25 cycles

Connector Retention Tensile Force1,334.47 N | 300 lbfConnector Retention Torque8.14 N-m | 72.001 in lb

Insertion Force 66.72 N | 15 lbf

Insertion Force Method MIL-C-39012C-3.12, 4.6.9

Interface Durability 500 cycles

Interface Durability Method IEC 61169-16:9.5

Mechanical Shock Test Method MIL-STD-202F, Method 213B, Test Condition C

Environmental Specifications

Operating Temperature $-55 \,^{\circ}\text{C}$ to $+85 \,^{\circ}\text{C}$ (-67 $^{\circ}\text{F}$ to $+185 \,^{\circ}\text{F}$)Storage Temperature $-55 \,^{\circ}\text{C}$ to $+85 \,^{\circ}\text{C}$ (-67 $^{\circ}\text{F}$ to $+185 \,^{\circ}\text{F}$)

Attenuation, Ambient Temperature $20 \, ^{\circ}\text{C} \mid 68 \, ^{\circ}\text{F}$ Average Power, Ambient Temperature $40 \, ^{\circ}\text{C} \mid 104 \, ^{\circ}\text{F}$

Corrosion Test Method MIL-STD-1344A, Method 1001.1, Test Condition A

Immersion Depth 1 m

Immersion Test Mating Unmated

Immersion Test Method IEC 60529:2001, IP68

Moisture Resistance Test Method MIL-STD-202F, Method 106F

Thermal Shock Test Method MIL-STD-202F, Method 107G, Test Condition A-1, Low Temperature -55 °C

Vibration Test Method IEC 60068-2-6

Water Jetting Test Mating Unmated

Water Jetting Test Method IEC 60529:2001, IP66

Packaging and Weights

Weight, net 119.15 g | 0.263 lb

Regulatory Compliance/Certifications



AL5NF-PSA

Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

REACH-SVHC Compliant as per SVHC revision on www.andrew.com/ProductCompliance

ROHS Compliant UK-ROHS Compliant

* Footnotes

Insertion Loss Coefficient, typical 0.05√-freq (GHz) (not applicable for elliptical waveguide)

Immersion Depth Immersion at specified depth for 24 hours

