# L1HM-D



#### 4.3-10 Male for 1/4 in LDF1-50 cable

#### **Product Classification**

**Product Type**Wireless and radiating connector

Product Brand HELIAX®

Product Series LDF1-50 | LDF1-50 | MLOC

### General Specifications

Body Style Straight

Cable Family LDF1-50

Inner Contact Attachment Method Captivated

Inner Contact Plating Silver

**Interface** 4.3-10 Male

Mounting AngleStraightOuter Contact Attachment MethodSelf-flareOuter Contact PlatingTrimetal

#### **Dimensions**


 Length
 46.48 mm | 1.83 in

 Diameter
 23.88 mm | 0.94 in

Nominal Size 1/4 in

### Outline Drawing





#### **Electrical Specifications**

**3rd Order IMD at Frequency** -116 dBm @ 1800 MHz

**3rd Order IMD Dynamic Test Method** Two +43 dBm carriers

**3rd Order IMD Dynamic, typical** -116 dB

Insertion Loss Coefficient, typical 0.05

Average Power at Frequency 600.0 W @ 900 MHz

Cable Impedance50 ohmConnector Impedance50 ohmdc Test Voltage2200 V

Inner Contact Resistance, maximum0.8 mOhmInsulation Resistance, minimum5000 MOhm

**Operating Frequency Band** 0 – 12000 MHz

**Outer Contact Resistance, maximum** 1.5 mOhm

Peak Power, maximum 10 kW RF Operating Voltage, maximum (vrms) 707 V

**Shielding Effectiveness** -110 dB

#### VSWR/Return Loss

Frequency Band VSWR Return Loss (dB)

ANDREW®
an Amphenol company

## L1HM-D

45-2700 MHz	1.041	33.94
2700-4000 MHz	1.052	31.92
4000-6000 MHz	1.106	25.96

#### Mechanical Specifications

Attachment Durability 25 cycles

Connector Retention Tensile Force449.27 N | 101 lbfCoupling Nut Proof Torque10 N-m | 88.507 in lbCoupling Nut Retention Force449.27 N | 101 lbf

Interface Durability100 cyclesInterface Durability MethodIEC 61169-4:9.5Mechanical Shock Test MethodIEC 60068-2-27

#### **Environmental Specifications**

Operating Temperature-55 °C to +85 °C (-67 °F to +185 °F)Storage Temperature-55 °C to +85 °C (-67 °F to +185 °F)

Attenuation, Ambient Temperature20 °C | 68 °FAverage Power, Ambient Temperature40 °C | 104 °FCorrosion Test MethodIEC 60068-2-11

Immersion Depth1 mImmersion Test MatingMated

**Immersion Test Method** IEC 60529:2001, IP68

Moisture Resistance Test MethodIEC 60068-2-3Thermal Shock Test MethodIEC 60068-2-14Vibration Test MethodIEC 60068-2-6

Water Jetting Test Mating Mated

Water Jetting Test Method IEC 60529:2001, IP66

Packaging and Weights

**Weight, net** 61.51 g | 0.136 lb

## Regulatory Compliance/Certifications

Agency Classification

CHINA-ROHS Below maximum concentration value



# L1HM-D

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

REACH-SVHC Compliant as per SVHC revision on www.andrew.com/ProductCompliance

ROHS Compliant UK-ROHS Compliant



#### \* Footnotes

**Insertion Loss Coefficient, typical** 0.05√ freq (GHz) (not applicable for elliptical waveguide)

**Immersion Depth** Immersion at specified depth for 24 hours

