FDXLCLC42

Base Product



OM4 LC/UPC to LC/UPC, Fiber Patch Cord, 1.6 mm Duplex, Plenum

Product Classification

Regional Availability

Asia | Australia/New Zealand | China | Europe | India | Latin

America | Middle East/Africa | North America

Portfolio CommScope®

Product Type Fiber patch cord, duplex

Product Brand SYSTIMAX InstaPATCH® 360

Product Series FDX

Ordering Note For lengths greater than 999 ft (304 m), orders must be in meters | Minimum length

may vary based on cable configuration

General Specifications

Color, boot A Aqua
Color, connector A Black
Color, boot B Aqua
Color, connector B Black
Interface, Connector A LC/UPC
Interface, Connector B LC/UPC

Polarity Pairs, flipped

Total Fibers, quantity 2

Dimensions

Jacket Color

Cable Assembly Length Range (m) 1 - 999

Cable Assembly Length Range (ft) 1 - 999


Diameter Over Jacket 1.6 mm | 0.063 in

Ordering Tree



Aqua

FDXLCLC42



Mechanical Specifications

Cable Retention Strength, maximum $11.24 \text{ lb} @ 0 \degree + 4.40 \text{ lb} @ 90 \degree$

Optical Specifications

Fiber Mode Multimode

Fiber Type OM4, LazrSPEED®

Environmental Specifications

Operating Temperature $-10 \,^{\circ}\text{C}$ to $+60 \,^{\circ}\text{C}$ ($+14 \,^{\circ}\text{F}$ to $+140 \,^{\circ}\text{F}$)

Environmental Space Plenum

Packaging and Weights

Packaging quantity

Regulatory Compliance/Certifications

Agency Classification ANATEL Compliant CHINA-ROHS Below maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system
REACH-SVHC Compliant as per SVHC revision on www.commscope.com/ProductCompliance

ROHS Compliant UK-ROHS Compliant







FDXLCLC42

760031104 P-002-ZC-5K-F16AQ

860655461

- Fiber indoor cable, LazrSPEED® 1.6 mm Plenum Zipcord, Multimode OM4, Feet jacket marking, Aqua jacket color
- LC/UPC Connector, Multimode, Aqua

