F2RNA-PNMNF-M5

FSJ2RK-50 SureFlex® Jumper with interface types N Male and N
Female, 0.5 m

Product Classification

Product Type Wireless transmission cable assembly

Product Brand HELIAX® | SureFlex®

Product Series FSJ2-50

General Specifications

Body Style, Connector A Straight

Body Style, Connector B Straight

Interface, Connector A N Male

Interface, Connector B N Female

Specification Sheet Revision Level A

Dimensions

Length 0.5 m | 1.64 ft

Nominal Size 3/8 in

VSWR/Return Loss

Frequency Band VSWR Return Loss (dB)

700–3000 MHz 1.222 20.01

Jumper Assembly Sample Label



F2RNA-PNMNF-M5



Environmental Specifications

EN50575 CPR Cable EuroClass Fire PerformanceB2caEN50575 CPR Cable EuroClass Smoke Rating\$1aEN50575 CPR Cable EuroClass Droplets Ratingd0EN50575 CPR Cable EuroClass Acidity Ratinga1

Immersion Test Method Meets IEC 60529:2001, IP68 in mated condition

Regulatory Compliance/Certifications

Agency	Classification
--------	----------------

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

Included Products

35422-48 – Heat Treated FSJ2RK-50, HELIAX® Superflexible Foam Coaxial Cable, corrugated copper, 3/8 in, black non-halogenated, fire retardant polyolefin jacket

FSJ2RK-50 - FSJ2-50, HELIAX® Superflexible Foam Coaxial Cable, corrugated copper, 3/8 in, black non-

halogenated, fire retardant polyolefin jacket B2ca s1a d0 a1 Compliant

