



FIST® Splice/patch Sub-assembly kit with 2 trays, each for holding up to 2 fiber adapters and 8 splice protectors

- Splice sub-assemblies consists of a wraparound groove plate holding the included splice organizer trays
- Groove plates are designed with slots for routing fiber to and from the organizer trays

Product Classification

Regional Availability	Asia Australia/New Zealand EMEA Latin America North America
Product Type	Fiber splice/patch tray
Product Brand	FIST®

General Specifications

Application	For use with FIST MK2 organizers
Color	Gray
Splice Tray Chip Type	Heat shrink
Splice Tray Construction	MS (Mass splicing for up to 8 primary/secondary coated fibers) SP (Single patch for up to 2 SC or 4 LC adapters)
Splice Tray Included, quantity	2
Splices per Tray, note	8 splices (250/900µm) per tray
Splices per Tray, quantity	8

Dimensions

Height	152 mm 5.984 in
Width	105 mm 4.134 in
Depth	12 mm 0.472 in
Fiber Storage Length, maximum	800 mm for mixed 250/900 µm fibers
Fiber Storage Length, minimum	650 mm 25.591 in
Splice Protector Length, maximum	45 mm 1.772 in
Splice Protector Length, minimum	45 mm 1.772 in
Splice Protector Diameter, maximum	2.8 mm 0.11 in
Splice Protector Diameter, minimum	2.8 mm 0.11 in

Material Specifications

Material Type PC/ABS

Mechanical Specifications

Minimum Bend Radius, standard 15 mm | 0.591 in

Environmental Specifications

Storage Temperature -40 °C to +70 °C (-40 °F to +158 °F)

Relative Humidity 93%, non-condensing

Environmental Space Indoor | Outdoor

Packaging and Weights

Packaging quantity 1

Packaging Type Bag

Weight, net 0.1 kg | 0.22 lb

Regulatory Compliance/Certifications

Agency	Classification
CHINA-ROHS	Below maximum concentration value
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system
REACH-SVHC	Compliant as per SVHC revision on www.commscope.com/ProductCompliance
ROHS	Compliant
UK-ROHS	Compliant

