# IC-1012-B



## Ice Canopy, 10 ft x 12 ft, four 13 ft 4 in burial pipes

#### **Product Classification**

**Product Type** Ice canopies and shields

#### General Specifications

Pipe, quantity 4

#### **Dimensions**

 Height
 4064 mm | 160 in


 Width
 3048 mm | 120 in

 Length
 3,657.6 mm | 144 in

 Pipe Length
 4064 mm | 160 in

# IC-1012-B

#### Outline Drawing



#### Material Specifications

Material Type Hot dip galvanized steel

#### Packaging and Weights

Included Hardware | Legs | Safety grating

Packaging quantity 1

**Weight, net** 422 kg | 930.35 lb

## Regulatory Compliance/Certifications

#### Agency Classification

CHINA-ROHS Above maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

ROHS Compliant/Exempted

Page 2 of 9



# IC-1012-B

**UK-ROHS** 

Compliant/Exempted



#### Included Products

MF-130 – Direct Burial Pipe Column, 13 ft 4 in

WB-CY210 - Safety Grated Waveguide Bridge Channel, 24 in x 10

ft



#### Direct Burial Pipe Column, 13 ft 4 in

#### **Product Classification**

**Product Type** Pipe column

## General Specifications

**Application** Direct burial

**Mounting** Waveguide bridge support bracket

Pipe, quantity 1

#### **Dimensions**

 Height
 4064 mm | 160 in


 Width
 88.9 mm | 3.5 in

 Length
 88.9 mm | 3.5 in

**Pipe Length** 4,053.84 mm | 159.6 in

Pipe Outer Diameter 88.9 mm | 3.5 in

## Outline Drawing



## Material Specifications

Material Type Hot dip galvanized steel

## Packaging and Weights

Included Anchors | Pipe

Packaging quantity 1

**Weight, net** 45.8 kg | 100.972 lb

## Regulatory Compliance/Certifications

Agency Classification



Page 5 of 9

# MF-130

CHINA-ROHS Above maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

ROHS Compliant/Exempted UK-ROHS Compliant/Exempted



## **WB-CY210**



## Safety Grated Waveguide Bridge Channel, 24 in x 10 ft

#### **Product Classification**

Product Type Waveguide bridge channel

## General Specifications

**Application** Waveguide bridge kit, 24 in


#### **Dimensions**

 Height
 76.2 mm | 3 in

 Width
 609.6 mm | 24 in

 Length
 3048 mm | 120 in

## Outline Drawing



## Material Specifications

Material Type Hot dip galvanized steel

#### Packaging and Weights

**Included** Bridge channel

Packaging quantity 1

**Weight, net** 50.4 kg | 111.113 lb

## Regulatory Compliance/Certifications

Agency	Classification
CHINA-ROHS	Above maximum concentration value
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system
ROHS	Compliant/Exempted
UK-ROHS	Compliant/Exempted



# WB-CY210

