WB-TK12D



Trapeze Kit, 12 in wide, two rungs

Product Classification

Product Type

Trapeze kit

General Specifications

Application	Waveguide bridge kit, 12 in
Cable Runs, quantity	14
Hole, quantity	14
Mounting	Waveguide bridge channel
Rungs, quantity	2


Dimensions

Height	101.6 mm 4 in
Width	304.8 mm 12 in
Length	152.4 mm 6 in
Hole Size	3/4 in 7/16 in





Outline Drawing



Material Specifications

Material Type

Hot dip galvanized steel

Packaging and Weights

Included

Weight, net

Hardware | Threaded rod | Z-bracket

Packaging quantity

3.2 kg | 7.055 lb

Regulatory Compliance/Certifications

1

Agency

Classification

Page 2 of 6



WB-TK12D

CHINA-ROHS

ISO 9001:2015

ROHS

UK-ROHS



Included Products

ZB-H4

- Horizontal Z-bracket, 11 in, for seven coaxial cable runs

Above maximum concentration value

Compliant/Exempted


Compliant/Exempted

Designed, manufactured and/or distributed under this quality management system

Page 3 of 6



ZB-H4



Horizontal Z-bracket, 11 in, for seven coaxial cable runs

Product Classification

Product Type	Z-Bracket
Ordering Note	ANDREW® standard product (Global)

General Specifications


Cable Runs, quantity	7
Hole, quantity	7
Mounting	Walls
Dimensions	
Height	50.8 mm 2 in

lieight	00.011111 2111
Width	152.4 mm 6 in
Length	279.4 mm 11 in
Hole Size	3/4 in 7/16 in





Outline Drawing



Material Specifications

Material Type Hot dip galvanized steel

Mechanical Specifications

Wind Rating For Specifications, please contact your local ANDREW representative

Packaging and Weights

Included	Z-bracket
Packaging quantity	1
Weight, net	1.2 kg 2.646 lb

Regulatory Compliance/Certifications

Agency	Classification
CHINA-ROHS	Above maximum concentration value
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system
ROHS	Compliant/Exempted
UK-ROHS	Compliant/Exempted

Page 5 of 6



<u>ZB-H4</u>



* Footnotes

Wind Rating

BWS-Base Wind Speed; FBC-Florida Building Code

Page 6 of 6

