
# WB-TS12



### Trapeze Kit, 12 in wide, one rung

#### Product Classification

Product Type

Trapeze kit

## General Specifications

Application	Waveguide bridge kit, 12 in
Cable Runs, quantity	4
Hole, quantity	4
Mounting	Waveguide bridge channel
Rungs, quantity	1

### Dimensions

Height	76.2 mm   3 in
Width	304.8 mm   12 in
Length	76.2 mm   3 in
Hole Size	3/4 in   7/16 in


Page 1 of 3



©2025 ANDREW, an Amphenol company. All rights reserved. Amphenol and ANDREW are registered trademarks of Amphenol and/or its affiliates in the U.S. and other countries. All product names, trademarks and registered trademarks are property of their respective owners. Revised: March 12, 2025

# WB-TS12

## Outline Drawing



## Material Specifications

Material Type Hot dip galvanized steel

## Packaging and Weights

Included

Weight, net

Angle brackets | Hardware | Threaded rod

Packaging quantity

1.3 kg | 2.866 lb

### Regulatory Compliance/Certifications

1

Agency

Classification

Page 2 of 3



©2025 ANDREW, an Amphenol company. All rights reserved. Amphenol and ANDREW are registered trademarks of Amphenol and/or its affiliates in the U.S. and other countries. All product names, trademarks and registered trademarks are property of their respective owners. Revised: March 12, 2025

## WB-TS12

CHINA-ROHS

ISO 9001:2015

**REACH-SVHC** 

ROHS

UK-ROHS



Below maximum concentration value Designed, manufactured and/or distributed under this quality management system Compliant as per SVHC revision on www.andrew.com/ProductCompliance Compliant Compliant





©2025 ANDREW, an Amphenol company. All rights reserved. Amphenol and ANDREW are registered trademarks of Amphenol and/or its affiliates in the U.S. and other countries. All product names, trademarks and registered trademarks are property of their respective owners. Revised: March 12, 2025