
WB-TS24



Trapeze Kit, 24 in wide, one rung

Product Classification

Product Type

Trapeze kit

General Specifications

Application	Waveguide bridge kit, 24 in
Cable Runs, quantity	6
Hole, quantity	6
Mounting	Waveguide bridge channel
Rungs, quantity	1

Dimensions

Height	76.2 mm 3 in
Width	609.6 mm 24 in
Length	76.2 mm 3 in
Hole Size	3/4 in 7/16 in


Page 1 of 3



©2025 ANDREW, an Amphenol company. All rights reserved. Amphenol and ANDREW are registered trademarks of Amphenol and/or its affiliates in the U.S. and other countries. All product names, trademarks and registered trademarks are property of their respective owners. Revised: March 12, 2025

WB-TS24

Outline Drawing



Material Specifications

Material Type Hot dip galvanized steel

Packaging and Weights

Included

Packaging quantity 1

Weight, net 1.9 kg | 4.189 lb

Regulatory Compliance/Certifications

Agency

Classification

Page 2 of 3



©2025 ANDREW, an Amphenol company. All rights reserved. Amphenol and ANDREW are registered trademarks of Amphenol and/or its affiliates in the U.S. and other countries. All product names, trademarks and registered trademarks are property of their respective owners. Revised: March 12, 2025

Angle brackets | Hardware | Threaded rod

WB-TS24

CHINA-ROHS

ISO 9001:2015

ROHS

UK-ROHS



Above maximum concentration value

Designed, manufactured and/or distributed under this quality management system

Compliant/Exempted

Compliant/Exempted





©2025 ANDREW, an Amphenol company. All rights reserved. Amphenol and ANDREW are registered trademarks of Amphenol and/or its affiliates in the U.S. and other countries. All product names, trademarks and registered trademarks are property of their respective owners. Revised: March 12, 2025