CM-L60-B



Light Duty Chain Mount Base Kit, 16 ft chain

Product Classification	
Product Type	Chain mount kit
General Specifications	
Chains, quantity	2
Pipe, quantity	0
Sectors, quantity	1
Dimensions	
Height	152.4 mm 6 in
Width	203.2 mm 8 in
Length	203.2 mm 8 in
Chain Length	4,902.2 mm 193 in
Mounting Diameter, maximum	1524 mm 60 in
Mounting Diameter, minimum	203.2 mm 8 in
Pipe Outer Diameter	114.3 mm 4.5 in
Mounting Circumference, maximum	4,775.2 mm 188 in
Mounting Circumference, minimum	635 mm 25 in


Page 1 of 3



©2025 ANDREW, an Amphenol company. All rights reserved. Amphenol and ANDREW are registered trademarks of Amphenol and/or its affiliates in the U.S. and other countries. All product names, trademarks and registered trademarks are property of their respective owners. Revised: March 12, 2025

CM-L60-B

Outline Drawing



Material Specifications

Material Type

Hot dip galvanized steel

Mechanical Specifications

Wind Rating	120 mph (BWS) at 100 ft AGL
Wind Rating Criteria	One 2 ft standard microwave antenna, with radome and stiff arm
Wind Rating Test Method	TIA/EIA-222

Packaging and Weights

Included

Chains

Page 2 of 3



©2025 ANDREW, an Amphenol company. All rights reserved. Amphenol and ANDREW are registered trademarks of Amphenol and/or its affiliates in the U.S. and other countries. All product names, trademarks and registered trademarks are property of their respective owners. Revised: March 12, 2025

CM-L60-B

Packaging quantity

1

Weight, net

.

17.3 kg | 38.14 lb

Regulatory Compliance/Certifications

Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

* Footnotes

Wind Rating BWS—Base Wind Speed; FBC—Florida Building Code

Page 3 of 3

